EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	((application or program) with (privileged near5 mode)) same (unlimited or (without near5 limit$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:34
L2	592	((application or program) with mode) same (unlimited or (without near5 limit$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:34
L3	585	l2 not l1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:35
L4	129	l3 and ((wireless near5 device) or pda)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:37
L5	35	l4 and (MMUs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:36
L6	111	l3 and (flag or MMU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:38
L7	35	l3 and (flag and MMU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:46
L8	0	l7 not l5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:38
L9	40	l3 and (flag and (initializ$5 near5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:13

L10	141	(cdma) and (flag and (initializ$5 near5 device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:13
L11	141	l10 not l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:13
L12	0	l11 and ((enabl$5 or configur$5 or set$5) with (both near5 modes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:22
L13	56	l11 and ((dual or both) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:26
L14	56	l11 and ((dual or both) near5 mode) and cdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:29
L15	56	l11 and ((dual or both) near5 mode) and cdma and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:30
L16	2	"20050132186"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 13:45
L17	2	"6,268,789".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:13
L18	975	((enabl$5 or set$5 or config$5) near7 flag) and (operat$5 near5 mode) and ((secure or protected or non-privileged) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:17
L19	358	l18 and ((both or dual) near6 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:18

L20	187	I18 and (((enabl$5 or configur$5 or set$5 or select$5) with ((both or dual) near6 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:19
L21	165	I20 and ((initializ$5 or boot$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:20
L22	165	I21 not I15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:20
L23	36	I22 and ((wireless near3 device) or PDA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 14:21
S1	3	713/166.ccls. and ((privileged and non-privileged) near5 mode) and ((control$5 or limit$5) near7 (access$5 near3 memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 14:56
S2	383	713/166.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:05
S3	20	S2 and (enabl$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:12
S4	11	S2 and (enabl$5 near5 mode) and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:14
S5	1	S2 and (enabl$5 near5 mode) and flag and (initializ$5 near5 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 13:14
S6	1	713/166.ccls. and ((privileged and non-privileged) near5 mode) and ((control$5 or limit$5) near7 (access$5 near3 memory)) and (device near5 initializ$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:34

EAST Search History

S7	1	713/166.ccls. and (((privileged and non-privileged) or (protected and normal)) near5 mode) and ((control$5 or limit$5) near7 (access$5 near3 memory)) and (device near5 initializ$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:35
S8	73	(((privileged and non-privileged) or (protected and normal)) near5 mode) and ((control$5 or limit$5) near7 (access$5 near3 memory)) and (device near5 initializ$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:19
S9	72	S8 not S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:36
S10	52	S9 and flag and (enabl$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:37
S11	50	S9 and (set$5 near5 flag) and (enabl$5 near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:38
S12	1	S9 and (set$5 near5 flag) and (enabl$5 near5 (both near4 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:40
S13	1	S9 and ((set$5 near5 flag) with ((privileged or protected) near5 (operation or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:41
S14	10	(S9 and (enabl$5 with ((privileged or protected) near5 (operation or instruction)))) not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:50
S15	145	(((enabl$5 or set$5) near5 (bit or flag)) with ((privileged or protected) near5 (operation or instruction))) not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:53

EAST Search History

S16	277	(((enabl$5 or set$5) near5 (bit or flag)) with ((privileged or protected) near5 (operation or instruction or mode))) not S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 15:53
S17	7	S16 and (wireless near5 device) and MMU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:18
S18	2	"6175916".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:13
S19	2	"5515538".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:13
S20	2	"20020138727"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:19
S21	42	(((privileged and non-privileged) or (protected and normal)) near5 mode) and ((control$5 or limit$5) near7 (access$5 near3 memory)) and (device near5 initializ$5) and " MMU " and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/15 16:22
S22	40	S21 and ((set$5 or enabl$5) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:48
S23	225	(initialization same (determin$5 near5 (operation near5 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:58
S24	0	S23 and (enabl$5 near5 (privileged near4 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:50

EAST Search History

S25	3	S23 and ((set$5 or enabl$5) with ((secure or protected or privileged) near4 mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:57
S26	13755	((set$5 or enabl$5) with (operati$5 near4 mode)) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:58
S27	8798	((set$5 or enabl$5) near5 (operati$5 near4 mode)) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:32
S28	498	((power-on or initialization or initializ$5) same (determin$5 near5 (operation near5 mode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 07:59
S29	43	S28 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:04
S30	1	S29 and ((privileged or secure or protected) near5 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:03
S31	42	S29 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:04
S32	2	S31 and ((test$5 or check$5) near5 flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:06
S33	78	S28 and ((test$5 or check$5) near5 flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:07
S34	0	S33 and " MMU "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:07

EAST Search History

S35	70	S27 AND MMU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:08
S36	58	S27 AND (MMU and wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:10
S37	12	S35 not S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:10
S38	13755	((set$5 or enabl$5) with (operati$5 near4 mode)) with device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 08:32
S39	664	S38 and (initializ$5 near5 device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/18 12:29